## **Grundfos iGRID**

**District Heating** 



Possibility in every drop

## **Change to demand-driven** Supply and save energy **Every hour of the day**

District heating is about efficiently delivering energy to a network of buildings. However, the typical district heating system is often designed and operated to serve the building with the highest demands, for example a hospital or an industrial facility requiring high temperatures. This means that the rest of the network is supplied with higher temperatures than needed, and this results in significant heat losses.

With Grundfos iGRID your heating system can be highly improved by making use of a demand-driven supply. Including a considerable return on investment, energy is saved every day.

The Grundfos iGRID solutions help you reduce temperatures for decentralised city zones by mixing return water into the supply line of any branch in your grid, ensuring you great benefits:

#### Significantly reduced heat losses

Lower temperatures in the grid mean reduced heat loss through the pipes - which results in savings and increased capacity.

#### Improved system control

Decentralised and distributed mixing loops ensure that pressure is only added when needed, which ultimately enables lower system pressure from the district heating plant and reduces leakages in the system.

Moreover, by lowering the return temperatures, you can substantially improve the effectiveness of your production. Real-time monitoring of temperature and pressure from critical parts of your system provides a great overview and benchmarks for potential optimisation areas.

Lower emissions ensure compliance with the COP21 Paris agreement regarding global carbon emissions and the EU energy efficiency directive.

## A typical district heating grid

#### - Before and after Grundfos iGRID implementation

#### Before

A typical district heating grid is designed to deliver to the end-user with the greatest need.







#### After

By implementing Grundfos iGRID Temperature Zones and Grundfos Pressure Zones, you can ensure a lower temperature and control the pressure where required, for example to residential areas. At full implementation, you can effectively integrate renewable energy sources, even at low temperatures.



The Grundfos **iGRID** solutions increase system efficiency with low-temperature zoning and demand-driven supply for district heating



## **How decentralised low Temperature zones work**

The iGRID Temperature Zone is a pre-fabricated and intelligent mixing loop. It mixes water from the return line into the supply line, to lower the temperature to the required level in any given city zones.



#### The free flow solution

An efficient solution whereby pressure can be increased in the zone. By the use of a pump in the bypass, the pressure from the supply is adjusted in order to add the required return of water. Consequently, a free flow of water is created and a traditional motor valve is no longer necessary. Nonetheless, the need for maintenance is reduced due to a high degree of reliability.

This is the ideal solution for reducing heat losses to a minimum.



#### The shunt solution

A cost-effective solution utilising pressure from the main pumps in the existing grid. A pump in the bypass is designed to overcome pressure from the supply to add the needed flow of return water.

This solution is suggested if there is always enough supply pressure for the zone and no ambition to implement the low pressure benefits of distributed pumping.



#### The pressure reduction solution

A shunt solution with a pressure control valve utilized when the pressure in the zone is higher than required.

This will reduce the pumping need for mixing and pressure reduction in all buildings will no longer be required. Additionally, it will increase the lifetime of pipes and building installations.

These are the three main solutions, but further variants can be created on request.

#### Depending on your need, different solutions may be required



The cabinet solution is easy to install and flexible in design



The **pit solution** hides away the installation



The skid solution is the most flexible and can be placed in an existing building etc.





## Real-time monitoring and useful data

For optimal performance, Grundfos iGRID integrated real-time monitoring from the critical parts of the system. Temperature and pressure are measured by installing iGRID Pit Measure Points and iGRID Bypasses are ensuring instant hot water during summer, in low demand periods.

Useful data, available on smart devices, the web and through your SCADA system, gives you a great overview of city zones

to reveal potential optimisation areas. The iGRID Temperature Optimiser utilises the data and adjusts the temperature to meet the exact consumer demands on a real-time basis, lowering the heat losses even further and improving comfort.

The iGRID Temperature Optimiser also includes an intelligent weather compensation and peak shaving algorithms to further optimise the operation of your district heating grid.

## Building a low-temperature zone in Copenhagen

Gentofte and Gladsaxe District Heating Company serves a mix of housing blocks, public buildings and single-family homes. An iGRID Temperature Zone was installed to reduce the average supply temperature from 79°C to 60°C in that zone. Complemented with other iGRID solutions, Gentofte is now able to deliver the exact heat energy required by all the different buildings in this area, but supplied at much lower temperatures, even during peaks.

This is expected to reduce heat losses by up to 25%, with a return on investment of the total project in just 3 years.





Customer demand: **9,000 MWh** Avg. temperature (supply/return) Heat loss pipes/year MWh Pump energy MWh/year

Source: Based on calculation tool provided by Danish District Heating Association

"This is the future of district heating. Grundfos has prompted us to look at things in a different way."

> **Johan Sølvhøj Heinesen,** Head of Gentofte and Gladsaxe District Heating



Usual design	Expected new temperature
79°C/48°C	60°C/38°C
2,570	1,950
0	14

Heat loss reduction 24%

# 10 23/CBS/40150 54-Brandbox

### Grundfos iGRID is a solution range for district heating

With this range we fight heat losses and prepare for utilisation of renewable energy sources through intelligent temperature control.

By creating zones with mixing loops, temperatures can be lowered to meet the actual demands in those zones and thereby deliver exactly the heat energy needed – nothing more and nothing less!

Find out more about the Grundfos iGRID concept by contacting your local Grundfos Sales Company or visit grundfos.com form more information.





